



# INTERNATIONAL OILFIELD EQUIPMENT BROKERS

#4, 4063 – 74 Avenue S.E., Calgary, Alberta, Canada T2C 2H9  
Website: [www.oilfieldequipment.com](http://www.oilfieldequipment.com)

*World class integrated asset acquisition, management and recovery solutions  
for the oil & gas industry*

## Your International Sourcing and Sales Team

DALE RAWSON  
TOM MEALEY

ROBERT STRINGER  
DANE URQUHART

CURTIS BLAIR  
MAIL KO

Phone: (403) 299-2244  
Fax: (403) 299-2245  
Email: [ioeb@ioeb.ca](mailto:ioeb@ioeb.ca)

## May 2013

# SELECTED EQUIPMENT LISTINGS

### LOOKING TO BUY? CHECK OUR INVENTORY!

We currently have over 2,200 items listed in our online Surplus Equipment Catalog. This flyer contains only a small number of listings. Please visit our online catalog at [www.oilfieldequipment.com](http://www.oilfieldequipment.com).

#### COMPRESSORS

31431284      75 HP GM 3L screw comp. skidded and housed pkg.



AMiCS #: 31431350

Used 95 HP Cat 3304 NA 2 stage 2 throw Gemini MPD-22 comp. skidded and housed pkg.

- Year Built: 1986 by Energy Industries

- Cyl. 1st St. ID #1: 8 in

- Cyl. 2nd St. ID #1: 4 in

- Cooler 1st IC MAWP: 1315 psig

- Clean unit, major overhaul 1 year prior to shut down, preserved

31431288      150 HP Cat 3406 NA 2 stage 2 throw Ariel JG-A2 comp. skidded and housed pkg.

31431959      2370 HP Cat 3608LE Gemini H302 comp. skidded and housed pkg.

31430973      Siemens STC GV 40-6 Centrifugal and Axial compressor



**FLARE STACKS & INCINERATORS**



AMiCS #: 31427533  
 UNUSED 10" x 65' self-supported flare stack  
 - 10" inlet connection  
 - Moment at foundation base: 78,213 ft-lbs  
 - Built by Tornado in 2008



AMiCS #: 31427635  
 UNUSED 30" x 41' Incinerator  
 - Tornado incinerator pilot model TBTP #6-1  
 - Internal lining material: 1" thick premier ceramic fiber (8 lb./cu. ft.)  
 - Moment at foundation base: 66,099 ft.-lbs  
 - 2" Tornado crimped ribbon flame arrestor Model 2" CR2SFA  
 - Built by Tornado in 2008

**LINE HEATERS**

- 31430777 1.0 mm btu/hr sour service 1500 / 900 ANSI skidded pkg. c/w housed controls FG scrubber
- 31424520 1.0 mm btu/hr single pass skidded pkg.
- 31424580 1.25 mm btu/hr 1400 psi / 3500 psi, skidded pkg.
- 31431172 1.5 mm btu/hr 5625 psi / 2025 psi insulated skidded & housed pkg.



AMiCS #: 31429792  
 Used 3.0 mm btu/hr 1200 psi / 1332 psi skidded line heater  
 - Year Built: 2011 by Sofatec  
 - Design Temp.: 250° F  
 - Insulation Material: aluminum cladding



AMiCS #: 31415800  
 UNUSED 5.0mm btu/hr sour service 5171 psi skidded line heater  
 - Year Built: 2007 by Orban  
 - Design Temp.: 250° F  
 - Cameron/Willis choke  
 - c/w Instrumentation Enclosure



AMiCS #: 31427683  
 UNUSED 5.0 mm btu/hr sour service line heater skidded & housed package  
 - Pre-heat coil: 6 passes, 6", 4570 psi, 340.7 sq. ft. heating surface  
 - Re-heat coil: 12 passes, 8", 3916 psi, 865.2 sq. ft. heating surface  
 - CRN: T0772.2  
 - Built by Orban in 2006

**METER PACKAGES**



AMICS ID #: 31431917  
 2' x 4' Meter Pkg., w/ 2" Meterrun Skidded & Housed Pkg.  
 - Year Built: 2008 by Tornado  
 - Fuel Gas Scrubber: 3" x 16', 1480 Psi @ 100 F



AMiCS #: 31427661  
 UNUSED 600# sour service fuel gas separator / sales meter package  
 - 2" 600# Daniel senior meter run  
 - 4" 600# Daniel senior meter run  
 - Rosemount transmitters  
 - 12 3/4" x 7-0' x 270 psig sweet fuel gas scrubber, CRN: L2881.21  
 - (2) 16,000 btu/hr building heaters  
 - Built by Rushton in 2008

31431163      6" 600 ANSI Nusco meter package w/ Daniels sr. meter run skidded & housed

**MISCELLANEOUS**

- 31430976      250,000 pph Voyager 800 psi boiler skidded & housed pkg.
- 31430978      15,776 HP 11764 kVa Siemens generator
- 31430974      Siemens SST-600 steam turbine
- 31430975      30,843 HP Lufkin NF3207D gear box



AMiCS #: 31427570  
 UNUSED 10.75" x 8'4" x 1420 psi sour service filter skid package  
 - (2) Apex Coalescer elements & (2) GA3630P222SS element risers  
 - 16,000 btu building heater  
 - 100% X-ray  
 - CRN: U6524.21  
 - Built by Rushton in 2008

- 31430968      46" x 240" heat exchanger, shell 493 psi @ 248 °F, tube 149 psi @ 493 °F
- 31430969      48" x 234" heat exchanger, shell 305 psi @ 320 °F, tube 149 psi @ 199 °F
- 31430970      52" x 255" heat exchanger, shell 87 psi @ 320 °F, tube 149 psi @ 199 °F
- 31430971      54" x 216" heat exchanger, shell 174 psi @ 329 °F, tube 149.9 Psi @ 199 °F
- 31430972      58" x 263" heat exchanger, shell 43 psi @ 320 °F, tube 149 psi @ 199 °F

- 31430875 1 HP injection pump 4 gpm @ 700 kPa discharge electric driven skidded pkg.
- 31431286 12" x 16'-0" sour service H2S scavenger skidded & housed pkg.
- 31431502 16' x 38' Alco Refrigeration Plant
- 31430882 1 HP injection pump 4 gpm @ 700 kPa discharge hydraulic driven skidded pkg.
- 31430897 Polymer blending trailer Sharpe FGP-075 mixer Subaru Robin RGV13100T 17.5 HP gen
- 31430774 8 mmcf/d @ 600 psi 15 usgpm Amine unit skidded & housed pkg.



AMiCS #: 31430775  
 1315 psi @ -20 F sour service, horizontal air cooled heat exchanger skidded pkg.  
 - Year Built: 2009  
 - Service Type: Sour  
 - Shell MAWP: 1310 psig  
 - Shell @ Max. Temp.: -20° F  
 - c/w Control Panel, Manual Louvers, 30 HP Drive Fan



AMiCS #: 31411937  
 24' x 40' Skidded Amine Plant  
 - Year Built: 1986  
 - 30" x 52'-6" Amine Contactor Tower  
 - 20" x 8' Filter Vessel  
 - 20" x 48" Filter  
 - 12" x 48" Filter  
 - 36" x 10' Flash Tank  
 - 36" x 8' Reflux Accumulator  
 - c/w cooler & union triplex pump w/ 75 HP electric motor  
 - Package Size: 24' x 40'

**OCTG**

- 6,000 m - 114.3mm 3.18mm Evraz ERW LP Grade 359 Cat 2 SS (-45) TRL BE Bare (Edmonton)
- 32,000 m - 114.3mm 3.18mm Evraz ERW LP Grade 359 Cat 2 SS (-45) TRL BE YJ (Edmonton)
- 10,000 m - 114.3mm 3.96mm Evraz ERW LP Grade 359 Cat 2 SS (-45) TRL BE Bare (Edmonton)
- 31,000 m - 114.3mm 3.96mm Evraz ERW LP Grade 359 Cat 2 SS (-45) TRL BE YJ (Edmonton)
- 1,460 m - 60.3mm 6.99kg/m YB ERW Tubing (Nisku)
- 31431841 6000 m, 114.3 mm, DR HDPE
- 31431842 4650 m, 139.7 mm 23.05kg/m L80 Casing LTC
- 31431847 1504 m, 323.90 mm x 6.4 mm, Line Pipe, Grade 359, UBRA
- 31431848 2201.98 m, 168.3 mm x 3.96 mm, Line Pipe, Grade 359, CAT II SSE YJ

**RIGS**

**750 HP IDECO SBS H-44 6-AXLE DRIVE-IN DRILLING RIG,  
WELL EQUIPPED**



- Working Depth: 8530' with 5" Drill Pipe
- Max. Hook Load: 268,000 lbs
- Rig / Carrier:
  - Power: 2 x Cat D 343 TA-A
  - Output: 380 x 380 HP Dual
- Generators:
  - 2 x 333 kVA Hitzinger three-phase synchronous units
  - Powered by D 3406 Cat diesel engine
  - Switching cabinet included
  - All contained within a 40' / 12m sound-proof container
- Mud pump: EMSCO F-800 powered by Cat DT399
- Mud System: 3 x 700 bbl skid mounted tanks + trip
- Shale Shakers: 2 x Derrick FLC Dual 530
- Accessories:
  - Casing and Tubing
  - Handling Tools
  - Drill Bits
  - Electrical Equipment and Tools
  - Mechanical Equipment and Tools
  - Welding Equipment and Tools
  - Replacement Parts
- Location: Australia

**AMICS ID #: 31431828 UNUSED Mast Coil Tubing Unit, Built 2011**



- Integrated mast system
- Hook Load on 4 Lines: 40,000 lbs.
- 10 kVa Diesel Generator
- Capacity: 22,600 ft. (2")
- Location: Alberta

**Used Intermediate Coil Tubing Unit**



- Capable of servicing up to 13,800 ft.
- Auxiliary reels capable of 14,808 ft. of 1.5" tubing
- Tubing Injectors: Up to 10,000 lbf pulling capacity
- Location: Alberta

Trust. International.

For additional equipment listings go to [www.oilfieldequipment.com](http://www.oilfieldequipment.com)

**SEPARATORS**

- 31430452 8" x 24" x 1300 psi skidded & housed pkg.
- 31431283 12" x 7'-6" x 1440 psi c/w 250,000 btu/hr line heater skidded and housed pkg.
- 31431147 12.75" x 6'-5" x 1200 psi 2 phase skidded & housed pkg.
- 31424711 16" x 5'-0" x 1436 psi skidded & housed pkg.
- 31430455 16" x 7'-6" x 740 psi skidded & housed pkg.
- 31430451 16" x 7'-6" x 1430 psi skidded & housed pkg.
- 31431320 16" x 7'-6" x 1440 psi skidded & housed pkg.
- 31431293 16" x 7'-6" x 1440 psi skidded & housed pkg. c/w 100 BBL dbl wall tank on skid
- 31431347 16" x 7'-6" x 1440 psi skidded & housed pkg. c/w 200 BBL tank on skid
- 31431323 16" x 7'-6" x 1480 psi skidded & housed pkg.
- 31431150 16" x 7'-6" x 1480 psi 3 ph skidded & housed pkg. c/w 100 BBL dbl wall insul tank on skid



AMICS ID #: 31412434  
 Used Separator/Line Heater Pkg

- 16" x 7'-6" x 1440 psi 3 phase separator
- 1.0 mm btu/hr choke heater, 3" x 3375 psi / 1350 psi
- Year Built: 1996 by Natco
- 2 flow analyzers, control valve & methanol pump
- 3" meter run, 2 pen chart recorder

- 31431348 20" x 7'-6" x 1440 psi skidded & housed pkg.



AMICS ID #: 31429749  
 USED 24" x 7'-6" x 1440 psi 2 phase skidded & housed package

- 2" Inlet / Outlet
- CRN #: P5433.213
- 2" 600 ANSI Canalta junior meter run
- Barton 2 – pen recorder
- Built by Twist Oilfield in 2011

**TANKS**

- 31431321 100 BBL double wall insulated heated skidded tank



AMiCS #:31431600  
 REFURBISHED 400 BBL Double Wall Insulated Skidded Tank

- Gauge board and ladder
- S/N: 16151
- Built by Argo in 2004
- Refurbished in 2012

**PLEASE CONTACT YOUR IOEB REP FOR FURTHER INFORMATION AND PRICING**

## **WORLD CLASS INTEGRATED ASSET ACQUISITION, MANAGEMENT AND RECOVERY SOLUTIONS FOR THE OIL & GAS INDUSTRY.**

The International Oilfield group of companies is the world's largest integrated asset acquisition, management and recovery solutions providers in the oil and gas industry. We can help with all your oil and gas equipment acquisition, inventory, management, valuation, appraisal, redeployment and disposition needs.

Consulting and Purchasing Services  
International Oilfield Management Services

Asset Acquisition and Disposition Services  
International Oilfield Equipment Brokers

Asset Rental Services  
International Oilfield Equipment Rentals

Asset Inventory, Management, Appraisal and Redeployment Services  
JEDEX Equipment and AMiCS™

### **We can help you –**

- ✓ Streamline processes, reduce wasted time, money and resources, and monetize your Surplus assets using our equipment brokerage services
- ✓ Reduce capital and time to production using our equipment sourcing services
- ✓ Reduce capital and time to production using our field inventory services
- ✓ Bridge the gap between production and capital budget approval using our equipment rental services
- ✓ Identify, track and redeploy Idle or Surplus equipment; reduce operating costs, property and sales taxes and storage fees, using our asset management services
- ✓ Assign appraisal costs for Joint Venture purposes using our accredited Canadian Personal Property Appraisal services
- ✓ Comply with Sarbanes-Oxley (SOX) requirements and with International Financial Reporting Standards (IFRS) using our online asset management software

**Want to know more? Contact us today!**

International Oilfield Equipment Brokers Ltd.  
#4, 4063 – 74 Avenue SE, Calgary, Alberta, Canada T2C 2H9  
Phone: (403) 299-2244 Fax: (403) 299-2245 Email: [ioeb@ioeb.ca](mailto:ioeb@ioeb.ca)

Website: [www.oilfieldequipment.com](http://www.oilfieldequipment.com)